

FUTURE DESIGN CONTROLS

10 INCH INK TYPE CIRCULAR CHARTS



Future Design Controls
P.O. Box 1196
Bridgview, IL 60455
Customer Service 888-751-5444
Fax 888-245-2883
Technical Support 866.342.5332
<http://www.futuredeisgncontrols.com>

Counter Clockwise Charts

| Part No. | Range | Rotation | Part No. | Range | Rotation |
|----------|------------|------------------|----------|-------------|------------------|
| 99214731 | 0 to 1 | 7 Day | 99214745 | 30 to 180 | 7 Day |
| 99214728 | 0 to 5 | 24 Hr. | 99213831 | 30 to 230 | 12 Hr. |
| 99214729 | 0 to 5 | 7 Day | 99213834 | 30 to 230 | 7 Day |
| 99214420 | 0 to 50 | 7 Day | 99213832 | 30 to 230 | 24 Hr. |
| 99214714 | 0 to 10 | 24 Hr. | 99213833 | 30 to 230 | 48 Hr. |
| 99214754 | 0 to 10 | 7 Day | 99214725 | 50 to 150 | 8 Hr. |
| 99214416 | 0 to 14 ph | 7 Day | 99214753 | 50 to 150C | 12 Hr. |
| 99214717 | 0 to 14 ph | 24 Hr. | 99213829 | 60 to 180 | 12 Hr. |
| 99214730 | 0 to 15 | 7 Day | 99213830 | 60 to 180 | 24 Hr. |
| 99214755 | 0 to 20 | 7 Day | 99214408 | 70 to 190 | 24 Hr. |
| 99213824 | 0 to 100 | 12 Hr. | 99213859 | 80 to 0C | 4 Hr. |
| 99213825 | 0 to 100 | 24 Hr. | 99213860 | 80 to 0C | 12 Hr. |
| 99213826 | 0 to 100 | 7 Day | 99213861 | 80 to 0C | 24 Hr. |
| 99214705 | 0 to 100 | 48 Hr. | 99213862 | 80 to 0C | 48 Hr. |
| 99214715 | 0 to 100C | 12 Hr. | 99213863 | 80 to 0C | 72 Hr. |
| 99214737 | 0 to 100C | 31 Day | 99213864 | 80 to 0C | 7 Day |
| 99213839 | 0 to 100C | 12 Hr. | 99213828 | 80 to 180 | 12 Hr. |
| 99213840 | 0 to 100C | 24 Hr. | 99214414 | 90 to 130 | 24 Hr. |
| 99213841 | 0 to 100C | 48 Hr. | 99213887 | 100 to 250 | 24 Hr. |
| 99214409 | 0 to 140C | 24 Hr. | 99213843 | 110 to 0C | 12 Hr. |
| 99214743 | 0 to 140C | 4 Hr. | 99213844 | 110 to 0C | 24 Hr. |
| 99214746 | 0 to 150C | 12 Hr. | 99213845 | 110 to 0C | 48 Hr. |
| 99213806 | 0 to 200 | 7 Day | 99213846 | 110 to 0C | 7 Day |
| 99213819 | 0 to 200 | 12 Hr. | 99213874 | 120 to 220 | 12 Hr. |
| 99213801 | 0 to 200 | 24 Hr. | 99214732 | 130 to 185 | 12 Hr. |
| 99213883 | 0 to 300 | 24 Hr. | 99214726 | 130 to 190 | 12 Hr. |
| 99213884 | 0 to 300 | 7 Day | 99214412 | 150 to 25 | 24 Hr. |
| 99213807 | 0 to 400 | 7 Day | 99214413 | 150 to 25 | 12 Hr. |
| 99214410 | 0 to 400 | 12 Hr. | 99213882 | 150 to 350 | 24 Hr. |
| 99214739 | 0 to 400 | Dual Sided Chart | 99213879 | 180 to 30 | 12 Hr. |
| 99215001 | 0 to 400 | 8 Hr. | 99213880 | 180 to 30 | 24 Hr. |
| 99213802 | 0 to 400 | 24 Hr. | 99214405 | 180 to 30 | 7 Day |
| 99214740 | 0 to 600 | Dual Sided Chart | 99215309 | 200 to 0 | 7 Day |
| 99213817 | 0 to 600 | 24 Hr. | 99215310 | 200 to 0 | 24 Hr. |
| 99213803 | 0 to 800 | 24 Hr. | 99215318 | 200 to 0 | 12 Hr. |
| 99213808 | 0 to 800 | 7 Day | 99213894 | 200 to 300 | 12 Hr. |
| 99214741 | 0 to 800 | Dual Sided Chart | 99214404 | 200 to 300 | 24 Hr. |
| 99213821 | 0 to 1000 | 7 Day | 99215302 | 230 to 0 | 24 Hr. |
| 99213820 | 0 to 1000 | 24 Hr. | 99255334 | 230 to 0 | 12 Hr. |
| 99213815 | 0 to 1200 | 24 Hr. | 99213835 | 230 to 30 | 12 Hr. |
| 99213816 | 0 to 1200 | 7 Day | 99213836 | 230 to 30 | 24 Hr. |
| 99213881 | 0 to 1200 | 72 Hr. | 99213837 | 230 to 30 | 48 Hr. |
| 99214742 | 0 to 1200 | Dual Sided Chart | 99214761 | -5 to 50 | 7 Day |
| 99213822 | 0 to 1500 | 24 Hr. | 99214723 | -25 to 70C | 7 Day |
| 99213823 | 0 to 1500 | 7 Day | 99214762 | -30 to 70 | 7 Day |
| 99213810 | 0 to 2000 | 24 Hr. | 99214748 | -50 to 0 | 7 Day |
| 99213805 | 0 to 2000 | 7 Day | 99213885 | -50 to 50 | 24 Hr. |
| 99213889 | 0 to 2500 | 8 Hr. | 99213886 | -50 to 50 | 7 Day |
| 99213890 | 0 to 2500 | 24 Hr. | 99214769 | -50 to 75 | Dual Sided Chart |
| 99213891 | 0 to 2500 | 7 Day | 99214712 | -50 to 75C | 7 Day |
| 99213813 | 0 to 3000 | 24 Hr. | 99214708 | -80 to 20C | 7 Day |
| 99213814 | 0 to 3000 | 7 Day | 99213811 | -100 to 100 | 24 Hr. |
| 99213818 | 0 to 25000 | 7 Day | 99213812 | -100 to 100 | 7 Day |
| 99213827 | 30 to 80C | 12 Hr. | 99213804 | -150 to 350 | 7 Day |
| 99213877 | 30 to 180 | 12 Hr. | 99213809 | -150 to 350 | 24 Hr. |
| 99213878 | 30 to 180 | 24 Hr. | | | |

Future Design Controls
 P.O. Box 1196
 Bridgview, IL 60455
 Customer Service: 888.751.5444
 Fax: 888.245.2883
 Technical Support: 866.342.5332
<http://www.futuredesigncontrols.com>

Counter Clockwise Charts - Dual Range

| Part No. | Range #1 | Range #2 | Rotation | Part No. | Range #1 | Range #2 | Rotation |
|----------|-----------|-------------|----------|----------|-------------|--------------|----------|
| 99214751 | 0 to 5 | 0 to 10 | 24 Hr. | 99214418 | 20 TO 120 | 120 to 220 | 12 Hr. |
| 99214758 | 0 to 20 | 0 to 1000 | 7 Day | 99213888 | 30 to 230 | 0 to 100 | 24 Hr. |
| 99215337 | 0 to 50 | 50 to 300 | 24 Hr. | 99214901 | 30 to 230 | 0 to 2500 | 24 Hr. |
| 99214735 | 0 to 100 | 0 to 200 | 7 Day | 99214415 | 50 to 150F | 0 to 150psi | 12 Hr. |
| 99214747 | 0 to 100 | 0 to 14 | 24 Hr. | 99213875 | 50 to 200 | 0 to 150psi | 12 Hr. |
| 99214750 | 0 to 100 | 0 to 14 | 7 Day | 99213876 | 50 to 200 | 0 to 150psi | 24 Hr. |
| 99214767 | 0 to 100 | 0 to 300 | 24 Hr. | 99214768 | 60 to 130 | 0 to 3.5 | 24 Hr. |
| 99215304 | 0 to 100 | 50 to 300 | 24 Hr. | 99213871 | 60 to 180 | 0 to 120 psi | 48 Hr. |
| 99215321 | 0 to 110 | 110 to 200 | 12 Hr. | 99213872 | 60 to 180 | 0 to 120 psi | 24 Hr. |
| 99213893 | 0 to 200 | 3.0 to 3.8 | 24 Hr. | 99214709 | 75 to 15 | 85 to 25 | 7 Day |
| 99213896 | 0 to 200 | 50 to 0 | 24 Hr. | 99214422 | 200 to 300 | 0 to 50 | 24 Hr. |
| 99213897 | 0 to 200 | 50 to 0 | 7 Day | 99214764 | -20 to 80 | 0 to 100 | 7 Day |
| 99215320 | 0 to 200 | 50 to 250 | 24 Hr. | 99214763 | -30 to 70 | 0 to 100 | 7 Day |
| 99213892 | 0 to 400 | -16 to 202C | 24 Hr. | 99214722 | -30 to 70C | 0 to 100 | 7 Day |
| 99214766 | 0 to 500 | 0 to 5000 | 24 Hr. | 99213898 | -50 to 50 | 0 to 100 | 7 Day |
| 99214716 | 0 to 600 | 0 to 200 | 24 Hr. | 99214703 | -80 to 180 | 0 to 100 | 24 Hr. |
| 99214717 | 0 to 800 | -20 to 20 | 24 Hr. | 99214411 | -100 to 100 | 0 to 100 | 7 Day |
| 99214724 | 20 to 100 | 100 to 180 | 12 Hr. | 99214702 | -100 to 350 | 0 to 100 | 24 Hr. |
| | | | | 99211401 | -100 to 200 | 0 to 100 | 24 Hr. |
| | | | | 99214402 | -100 to 200 | 0 to 100 | 7 Day |

Future Design Controls
 P.O. Box 1196
 Bridgview, IL 60455
 Customer Service: 888.751.5444
 Fax: 888.245.2883
 Technical Support: 866.342.5332
<http://www.futuredeisgncontrols.com>

Clockwise Charts

DC Input

Dual Range

| Part No. | Range | Rotation | Part No. | Range #1 | Rotation |
|-----------------|----------|----------|-----------------|-------------|----------|
| 882400-1661-074 | 0 to 5 | 7 Day | 882400-1660-604 | 0 to 600 | 24 Hr. |
| 882400-1660-036 | 0 to 14 | 24 Hr. | 882400-1660-621 | 0 to 100 | 24 Hr. |
| 882440-1661-036 | 0 to 14 | 7 Day | 882400-1660-628 | -100 to 200 | 24 Hr. |
| 882400-1661-095 | 0 to 25 | 7 Day | 882400-1661-601 | 0 to 100 | 7 Day |
| 882400-1661-051 | 0 to 50 | 7 Day | 882400-1661-638 | -50 to 100 | 7 Day |
| 882400-1660-001 | 0 to 100 | 24 Hr. | | | |
| 882400-1661-001 | 0 to 100 | 7 Day | | | |
| 882400-1660-054 | 0 to 120 | 24 Hr. | | | |
| 882400-1660-010 | 0 to 200 | 24 Hr. | | | |
| 882400-1661-004 | 0 to 200 | 7 Day | | | |
| 882400-1661-050 | 0 to 300 | 7 Day | | | |
| 882400-1660-037 | 0 to 350 | 24 Hr. | | | |
| 882400-1661-037 | 0 to 350 | 7 Day | | | |
| 882400-1660-052 | 0 to 600 | 24 Hr. | | | |

Temperature Values

| Part No. | Range | Rotation | Part No. | Range #1 | Rotation |
|-----------------|------------|----------|-----------------|--------------|----------|
| 882400-1660-070 | 0 to 150C | 24 Hr. | 882400-1661-014 | 0 to 2000F | 7 Day |
| 882400-1660-114 | 0 to 200F | 24 Hr. | 882400-1660-009 | 0 to 2400F | 24 Hr. |
| 882400-1660-024 | 0 to 250C | 24 Hr. | 882400-1660-057 | 10 to 340C | 24 Hr. |
| 882400-1660-062 | 0 to 300C | 24 Hr. | 882400-1661-057 | 10 to 340C | 7 Day |
| 882400-1660-002 | 0 to 300F | 24 Hr. | 882400-1660-030 | 10 to 760C | 24 Hr. |
| 882400-1661-002 | 0 to 300F | 7 Day | 882400-1660-032 | 30 to 2900F | 24 Hr. |
| 882400-1661-063 | 0 to 400C | 7 Day | 882400-1660-056 | 50 to 650F | 24 Hr. |
| 882400-1660-063 | 0 to 400C | 24 Hr. | 882400-1661-056 | 50 to 650F | 7 Day |
| 882400-1660-012 | 0 to 400F | 24 Hr. | 882400-1660-127 | 500 to 2000F | 24 Hr. |
| 882400-1661-006 | 0 to 400C | 24 Hr. | 882400-1660-028 | -18 to 425C | 24 Hr. |
| 882400-1660-013 | 0 to 500F | 24 Hr. | 882400-1661-028 | -18 to 425C | 7 Day |
| 882400-1661-007 | 0 to 500C | 7 Day | 882400-1660-027 | -45 to 150C | 24 Hr. |
| 882400-1660-003 | 0 to 600F | 24 Hr. | 882400-1660-019 | -50 to 300F | 24 Hr. |
| 882400-1661-008 | 0 to 600C | 7 Day | 882400-1661-019 | -50 to 300F | 7 Day |
| 882400-1660-014 | 0 to 800F | 24 Hr. | 882400-1660-069 | -100 to 100C | 24 Hr. |
| 882400-1661-009 | 0 to 800F | 7 Day | 882400-1661-069 | -100 to 100C | 7 Day |
| 882400-1660-015 | 0 to 1000F | 24 Hr. | 882400-1660-033 | -130 to 410F | 24 Hr. |
| 882400-1661-010 | 0 to 1000F | 7 Day | 882400-1660-042 | -250 to 150F | 24 Hr. |
| 882400-1660-004 | 0 to 1200F | 24 Hr. | 882400-1661-042 | -250 to 150F | 7 Day |
| 882400-1661-011 | 0 to 1200F | 7 Day | 882400-1661-015 | 0 to 2400F | 7 Day |
| 882400-1660-017 | 0 to 1600C | 24 Hr. | 882400-1660-025 | 0 to 2500F | 24 Hr. |
| 882400-1660-018 | 0 to 1600F | 24 Hr. | | | |
| 882400-1661-013 | 0 to 1600F | 7 Day | | | |
| 882400-1660-005 | 0 to 2000F | 24 Hr. | | | |

Future Design Controls

P.O. Box 1196

Bridgview, IL 60455

Customer Service 888-751-5444

Fax 888-245-2883

Technical Support 866.342.5332

<http://www.futuredesigncontrols.com>